

# INDEX

- Absolute summability, 51, 108
  - for suddenly-applied exponential, 51–52
- Accumulator, 19, 31, 34
  - difference equation representation of, 34–35
  - as time-invariant system, 20
- Adaptive signal processing, 4
- Additivity property, 18
- Aliasing, 144–45
  - prefiltering to avoid, 185–87
  - in reconstruction of undersampled sinusoidal signal, 148–49
  - sampling/reconstruction of sinusoidal signal, 147
- Aliasing distortion, 144–45
- All-pass decomposition, 280–82
- All-pass systems, 274–79
  - defined, 274
  - first-and second-order, 275
  - uses of, 278
- Alternation theorem, 489–91
- Amplitude spectrum, 49
- Analog channel vocoder, 5
- Analog signals, 8
  - digital processing of, 185–201
    - analog-to-digital (A/D) conversion, 187–93
    - analysis of quantization errors, 193–97
    - prefiltering to avoid aliasing, 185–87
- Analog-to-digital (A/D) conversion, 187–93
  - oversampled:
    - with direct quantization, 201–5
    - with noise shaping, 206–10
  - sample-and-hold system, 188–90
- Analytic signal, 776
- Antialiasing filter, 186
- Aperiodic discrete-time sinusoids, 15
- Approximation:
  - Butterworth, 458–60
  - Chebyshev, 460–63
  - elliptic, 463–65
  - equiripple, 492–93
- Attenuation, and group delay, effects of, 343–45
- Autocorrelation, 65–66
- Autocorrelation invariance, 526
- Autocorrelation sequence:
  - of  $h[n]$ , 67–68
  - spectrum analysis of random signals using estimates of, 743–48
- Autocovariance sequence, 65–66
- Autoregressive (AR) linear random process, 771
- Autoregressive moving-average (ARMA) linear random process, 771
- Auxiliary conditions, and linearity/time invariance/causality of a system, 39
- Averaging of periodograms, 737–38
  - computation using the DFT, 739
- Backward difference, 21, 32, 33–34
- Bandlimited differentiator, ideal, 159
- Bandlimited signal, reconstruction of, from its samples, 150–53
- Bandpass filters, FIR equiripple approximation of, 507–10
- Bandpass sampling, 799–801
- Bandpass signals, representation of, 796–99
- Bandstop filters, frequency response of, 44
- Bartlett windows, 468–71, 744, 750–54
- Basic sequences/sequence operations, 11–16
  - combining, 13–16
  - exponential sequences, 13–14
  - unit sample sequence, 11
  - unit step sequence, 11–13
- Bilateral z-transform, 95
- Bilinear transformation, 450–54, 517
  - Butterworth approximation, 458–60
  - of a Butterworth filter, 454–57
  - Chebyshev approximation, 460–63
  - design examples, 454–65
  - elliptic approximation, 463–65
  - and warping, 453–54
- Binary number system, 371–74
- Bit-reversed order, 642–43
- Blackman window, 468fn, 469
- Block convolution, 585–87
  - overlap-add method of, 723
  - using time-dependent Fourier transform, 722–23
- Block floating point, 668
- Block diagram representation of linear constant-coefficient difference equations, 341–48
- Block processing, 693
- Bounded-input bounded-output (BIBO), 21
- Butterflies, 676
- Butterworth approximation, 458–60
- Butterworth filter:
  - bilinear transformation of, 454–57
  - impulse invariance with, 446–49
- Canonic form* implementation, 346, 347
- Cascade connection, 29
- Cascade form structures:
  - coefficient quantization effects, 379–82, 386–90
  - FIR systems, 390, 412
  - IIR systems, 356–59, 379–82, 403–10
- Cauchy integral theorem, 776
- Cauchy principal values, 781–82
- Cauchy-Riemann conditions, 776
- Causal all-pass systems, 274–78

- Causal generalized linear-phase systems, 297–311
    - type I FIR linear-phase systems, 298
    - type II FIR linear-phase systems, 298
    - type III FIR linear-phase systems, 298
    - type IV FIR linear-phase systems, 298–99
  - Causality, 21
    - and auxiliary conditions, 39
    - and region of convergence (ROC), 110–11
  - Causal sequences, 31, 129, 777–82
    - defined, 778
    - exponential sequence, 779–80
    - finite-length sequence, 779
    - sufficiency of Fourier transform for, 777–82
    - exponential sequence, 779–80
    - finite-length sequence, 779
  - Characteristic of floating point number, 412
  - Charge-coupled devices (CCDs), 2
  - Charge transport devices (CTDs), 2
  - Chebyshev approximation, 460–63
  - Chirp transform algorithm (CTA), 656–61
    - parameters, 661
  - Circular convolution:
    - with delayed impulse sequence, 572–73
    - and discrete Fourier transform, 571–75
    - $N$ -point circular convolution, 571
    - of two rectangular pulses, 573–75
  - Circular shift of a sequence, discrete Fourier transform, 564–67
  - Coefficient quantization, 377–39
    - of an optimum FIR filter, 386–90
    - in FIR systems, 384–86
    - in IIR systems, 377–82
    - maintaining linear phase, 390–91
    - poles of quantized second-order sections, 382–84
  - Commutative property of convolution, 29
  - Compensation for zero-order hold, 506–7
  - Complex-conjugate pole pair, direct form
    - implementation of, 382–84
  - Complex cepstrum, 138, 788–89
  - Complex exponential sequences, 14–15, 40
  - Complex sequences:
    - defined, 789
    - Hilbert transform relations for, 789–801
  - Compressor, 20–21, 167–68
  - Computationally realizable systems, 242
  - Conjugate-antisymmetric sequence, 55–56
  - Conjugate-symmetric sequence, 55–56
  - Conjugation property,  $z$ -transform, 123
  - Continuous phase, 343
  - Continuous-to-discrete-time (C/D) conversion, 141–49
  - Continuous-time complex exponentials and sinusoids, compared to discrete-time complex exponentials and sinusoids, 14
  - Continuous-time IIR filter design, 442–43
  - Continuous-time processing, of discrete-time signals, 163–67
  - Continuous-time signals, 8
    - aliasing, 144–45
    - in reconstruction of undersampled sinusoidal signal, 148–49
    - sampling/reconstruction of sinusoidal signal, 147
  - bandlimited signal
    - reconstruction, from its samples, 150–53
  - continuous-time processing of discrete-time signals, 163–67
    - moving-average system with noninteger delay, 165–67
    - noninteger delay, 164–65
  - digital processing of analog signals, 185–201
  - analog-to-digital (A/D) conversion, 187–93
    - analysis of quantization errors, 193–97
    - digital-to-analog (D/A) conversion, 197–201
    - prefiltering to avoid aliasing, 185–87
  - discrete-time processing of, 153–63
    - changing sampling rate using, 167–78
    - impulse invariance, 160–63
    - linear time-invariant discrete-time systems, 154–60
  - frequency-domain representation of, 142–49
  - multirate signal processing, 179–84
    - interchange of filtering and downsampling/upsampling, 179–80
  - polyphase decompositions, 180–82
  - polyphase implementation of decimation filters, 182–83
  - polyphase implementation of interpolation filters, 183–84
  - Nyquist frequency/Nyquist rate, 146–47
  - periodic sampling, 140–42
  - sampling of, 140–239
  - sampling rate change by noninteger factor, 176–78
  - sampling rate increase by integer factor, 172–76
  - sampling rate reduction by integer factor, 167–72
  - unit impulse function, 142–43
- Convergence:
  - Fourier transform, 50–53
  - $z$ -transform, 96, 105–11
- Convolution property,  $z$ -transform, 124–26
- Convolution of sequences, 22–28
  - 124–25
  - block, 585–88, 721–22
  - circular, 571–75
  - linear, 576–88
  - periodic, 548–50
- Convolution sum:
  - analytic evaluation of, 26–28
  - computation of, 25–26

- defined, 23
- Convolution-sum expression, 23–25
- Convolution theorem, 60–61
  - Fourier transform, 60–61
  - z-transform, 124–25
- CORDIC rotator algorithm, 677, 684
- Correlation, computing using DFT, 746–48
- Coupled form, for second-order system, 384
- Coupled form oscillator, 425
- Critically sampled filter bank, 770
- Cross-correlation, 69–70
  
- DB (decibels), 254
- DCT-1, 590–93
  - relationship between DFT and, 593–94
  - See also* Discrete cosine transform (DCT)
- DCT-2, 590–93
  - energy compaction property of, 595–98
  - relationship between DFT and, 594–95
  - See also* Discrete cosine transform (DCT)
- Dead bands, 416
- Decimation, 172
- Decimation filters, polyphase implementation of, 182–83
- Decimation-in-frequency algorithms, 646–52
  - alternate forms, 650–52
  - in-place computation, 650
- Decimation-in-time algorithms, 635–46
  - alternate forms, 643–46
  - in-place computations, 640–43
- Decimator, 172
- Decomposition:
  - all-pass, 280–82
  - of a linear-phase system, 308–11
- Delay distortion, 242–43
- Deterministic autocorrelation sequence, 67–68
- DFS, *See* Discrete Fourier series (DFS)
- DFT, *See* Discrete Fourier transform (DFT)
- Difference equations, recursive computation of, 37–38
- Differentiation in frequency, 60
- Differentiation property, z-transform, 122–23
- Differentiators, 516
  - Kaiser window design of, 482–85
- Digital filters, 439
- Digital processing of analog signals, 185–201
  - analog-to-digital (A/D) conversion, 187–93
  - analysis of quantization errors, 193–97
  - digital-to-analog (D/A) conversion, 197–201
  - prefiltering to avoid aliasing, 185–87
- Digital signal processing, 9
  - early use of digital computers in, 5–6
- Digital signals, 8
- Digital-to-analog (D/A) conversion, 185, 197–201
  - oversampling and noise shaping in, 210–13
- Dirac delta function, 142–43
- Direct form I implementation, of an LTI system, 346–48
- Direct form II implementation, of an LTI system, 347–48
- Discrete cosine transform (DCT), 589–99
  - applications of, 598–99
  - DCT-1, 590–93
    - relationship between DFT and, 593–94
  - DCT-2, 590–93
    - energy compaction property of, 595–98
    - relationship between DFT and, 594–95
  - definitions of, 589–90
  - multiplication of, 599
- Discrete Fourier series (DFS):
  - duality in, 544–45
  - of a periodic impulse train, 544
  - of a periodic regular pulse train, 545–46
  - properties of, 546–51
    - duality property, 547
    - linearity property, 546
    - periodic convolution, 548–51
    - shift of a sequence, 546–47
    - symmetry properties, 547
  - representation of periodic sequences, 543–46
- Discrete Fourier transform (DFT), 541–692
  - autocorrelation sequence, spectrum analysis of random signals using estimates of, 743–48
  - chirp transform algorithm (CTA), 656–61
  - parameters, 661
  - computation of, 629–52
    - decimation-in-frequency algorithms, 646–52
    - decimation-in-time algorithms, 635–46
    - Goertzel algorithm, 633–35
  - correlation, computing using DFT, 746–48
  - defined, 541
  - DFT analysis of sinusoidal signals, 697–714
    - oversampling/linear interpolation for frequency estimation, 713–14
  - spectral sampling, 703–14
    - with 32-point Kaiser window and zero-padding, 711–12
    - using a Kaiser window, 708–10
  - windowing, 698–703
- discrete cosine transform (DCT), 589–99
  - applications of, 598–99
  - DCT-1 and DCT-2, 590–93
  - definitions of, 589–90
  - energy compaction property of DCT-2, 595–98
  - multiplication of, 599
  - relationship between DFT and DCT-1, 593–94
  - relationship between DFT and DCT-2, 594–95
- discrete Fourier series (DFS), 543–46
  - duality in, 544–45
  - of a periodic impulse training, 544
  - of a periodic regular pulse train, 545–46
  - properties of, 546–51
- fast Fourier transform (FFT) algorithms, 629–92
  - algorithms for more general values of  $N$ , 655
  - coefficients, 654–55
  - indexing, 652–54

- finite register length, effects of, 661–68
- Fourier analysis of signals
  - using, 693–97
  - relationship between DFT values, 697
- as Fourier representation of finite-duration sequences, 559–64
- implementation of, using convolution, 655–61
- implementing linear time-invariant systems using, 582–88
- linear convolution, 576–88
  - circular convolution as linear convolution with aliasing, 577–82
  - of two finite-length sequences, 277
- periodic sequences, representation of, 542–46
- of periodic signals, 551–55
- periodogram, 730–42
  - averaging of, 737–39
  - defined, 732
  - explicit computation of, 732
  - modified, 732
  - periodogram analysis, 731, 739–42
  - power spectrum, 731–32, 734
  - properties of, 733–37
- power spectrum estimation:
  - computing using DFT, 746–48
  - example based on estimation of autocorrelation sequence, 748–54
- properties of, 564–76
  - circular convolution, 571–75
  - circular shift of a sequence, 564–67
  - duality property, 567–68
  - linearity property, 564
  - symmetry properties, 568–70
- sampling the Fourier transform, 555–59
- time-dependent Fourier analysis of nonstationary signals, 723–30
- radar signals, 728–30
- speech signals, 720–28
- time-dependent Fourier transform, 714–22
  - block convolution using, 722–23
  - defined, 714
  - effect of the window in, 717–18
  - of a linear chirp signal, 715–17
  - sampling in time/frequency, 718–22
- Winograd Fourier transform algorithm (WFTA), 655–56
- Discrete Hilbert transforms, 775–810
  - analytic signal, 776, 789
  - bandpass sampling, 799–801
  - bandpass signals, representation of, 796–99
  - Cauchy principal values, 781–82
  - causal sequences:
    - defined, 778
    - exponential sequence, 779–80
    - finite-length sequence, 779
    - sufficiency of the Fourier transform for, 777–82
  - Hilbert transformers, 791
    - design of, 792–95
    - Kaiser window design of, 793–95
  - Hilbert transform relations, 775–801
    - for complex sequences, 789–801
  - magnitude, relationships between phase and, 788–89
  - Poisson's formulas, 776
- Discrete-time differentiators, 482–85
- Discrete-time filter, determining specifications for, 440–42
- Discrete-time Fourier transform (DTFT), 48fn
- Discrete-time impulse, 11
- Discrete-time random signals, 65–70
- Discrete-time signal processing, 2
  - continuous signals, 2
  - future of, 7
  - history of, 6–7
- Discrete-time signals, 8–93
  - basic sequences/sequence operations, 11–16
  - combining basic sequences, 13–16
  - complex exponential sequence, 14
  - exponential sequences, 13–14
  - sinusoidal sequences, 13
  - unit sample sequence, 11
  - unit step sequence, 11–13
- defined, 8
- discrete-time systems, 16–22
  - graphic depiction of, 10
  - sampling frequency, 10
  - sampling period, 10
  - as sequences of numbers, 9–16
- signal-processing systems, classification of, 8–9
- Discrete-time sinusoids, periodic/apperiodic, 15
- Discrete-time specifications, 443
- Discrete-time systems, 16–22
  - causality, 21
  - coefficient quantization, 377–39
    - of an optimum FIR filter, 386–90
    - in FIR systems, 384–86
    - in IIR systems, 377–82
    - maintaining linear phase, 390–91
  - poles of quantized second-order sections, 382–84
- defined mathematically, 16–17
- discrete-time random signals, 65–70
  - autocorrelation/autocovariance sequence, 65–66
- deterministic autocorrelation sequence, 67–68
- power density spectrum, 68
- random process, 65
- white noise, 69
- finite-precision numerical effects, 370–77
- numerical representations, 371–74
- quantization in implementing systems, 374–77
- FIR systems, basic network structures for, 366–70
  - cascade form, 367–68
  - direct form, 367
  - linear-phase FIR system structures, 368–70

- fixed-point realizations of IIR
  - digital filters, zero-input limit cycles in, 413–18
- Fourier transform theorems, 58–65
  - convolution theorem, 60–61
  - differentiation in frequency, 60
  - frequency shifting, 59
  - linearity of Fourier transform, 59
  - modulation or windowing theorem, 61–62
  - Parseval's theorem, 60
  - time reversal, 60
  - time shifting, 59
- frequency-domain
  - representation of, 40–48
  - eigenfunctions for linear time-invariant systems, 40–45, 61
  - frequency response of the ideal delay system, 41
  - frequency response of the moving-average system, 44–45
  - ideal frequency-selective filters, 43–44
  - sinusoidal response of linear time-invariant systems, 42–43
  - suddenly-applied complex exponential inputs, 46–48
- ideal delay system, 17
- IIR systems, basic structures for, 354–63
  - cascade form, 356–59
  - direct forms, 354–56
  - parallel form, 359–61
- instability, 21–22
  - testing for, 22
- limit cycles:
  - avoiding, 417–18
  - due to overflow, 416–17
  - due to round-off, 414–16
  - due to truncation, 414–16
  - in first-order system, 414–16
- linear constant-coefficient difference equations, 34–40
  - block diagram
    - representation of, 341–48
  - difference equation
    - representation of the accumulator, 34–35
  - difference equation
    - representation of the moving-average system, 35–36
  - recursive computation of difference equations, 37–38
  - signal flow graph
    - representation of, 348–53
- linear systems, 18
  - accumulator system, 19
  - nonlinear system, 19
- linear time-invariant systems, 22–28, 154–60
  - convolution sum, 23–28
  - eigenfunctions for, 40–45
  - properties of, 28–34
- memoryless systems, 18
- moving average, 17–18
  - and processing of continuous-time signals, 153
- representation of sequences by
  - Fourier transforms, 48–54
  - absolute summability for suddenly-applied exponential, 51–52
  - Fourier transform of complex exponential sequences, 54
  - Fourier transform of a constant, 53
  - inverse Fourier transform, 48
  - square-summability for the ideal lowpass filter, 52–53
- round-off, limit cycles due to, 414–16
- round-off noise, 391–413
  - analysis of cascade IIR structure, 403–10
  - analysis of direct-form FIR systems, 410–12
  - analysis of direct-form IIR structures, 391–99
  - first-order system, 396–97
  - floating-point realizations of discrete-time systems, 412–13
  - interaction between scaling and, 402–3
  - scaling in fixed-point implementations of IIR systems, 399–403
  - second-order system, 397
  - sinusoidal response of, 42–43
  - stability, 21–22
  - testing for, 22
- structures for, 340–438
  - symmetric properties of
    - Fourier transform, 55–58
    - conjugate-antisymmetric sequence, 55–56
    - conjugate-symmetric sequence, 55–56
    - even function, 55
    - even sequence, 55
    - illustration of, 57–58
    - odd function, 55
    - odd sequence, 55
  - time-invariant systems, 20–21
    - accumulator as, 20
    - compressor system, 20–21
  - transposed forms, 363–66
    - for a basic second-order section, 364–65
    - for first-order system with no zeros, 363–64
  - truncation, limit cycles due to, 414–16
- Discrete-to-continuous-time (D/C) conversion, 152–53
- Distortion compensation, 282–83
- Doppler frequency, 729–30
- Downsampling, 168–72
  - interchange of filtering and, 179–80
- Duality property:
  - discrete Fourier series (DFS), 544–45, 547
  - discrete Fourier transform (DFT), 567–68
- Eigenfunctions, 40
- Eigenvalues, 40–41
  - See also* Frequency response
- Elliptic approximation, 463–65, 828–29
- Elliptic continuous-time filters, 463–65, 828–29
- Energy density spectrum, 60
- Equiripple approximations, 492–93
- Even function, 55
- Even sequence, 55
- Expander, 172
- Exponential multiplication, 121–22
- Exponential sequences, 13–14, 779–80
  - left-sided, 99–100
  - right-sided, 98
  - sum of, 100–101
- Extraripple case, 493

- Fast Fourier transform (FFT)
  - algorithms, 2–3, 6, 576, 629–92
  - algorithms for more general values of  $N$ , 655
  - coefficients, 654–55
  - decimation-in-frequency algorithms, 646–52
  - decimation-in-time FFT algorithms, 635–46
  - indexing, 652–54
- Feedback, in IIR systems, 361–63
- FFT, *See* Fast Fourier transforms
- Filter design, 439–540
  - bilinear transformation, 450–65
  - discrete-time filter,
    - determining specifications for, 440–42
  - discrete-time IIR filter design, from a continuous-time filters, 442–65
- FIR discrete-time filter design, 510–11
- FIR equiripple approximation
  - examples, 503–10
  - bandpass filter, 507–10
  - compensation for zero-order hold, 506–7
  - lowpass filter, 503–6
- IIR discrete-time filter design, 510–11
- impulse invariance, 443–49
  - impulse invariance with a Butterworth filter, 446–49
- optimum approximations of
  - FIR filters, 486–502
  - alternation theorem, 489–91
  - characteristics of optimum FIR filters, 501–2
  - equiripple approximations, 492
  - extraripple case, 493
  - optimal type II lowpass filters, 497–98
  - optimal type I lowpass filters, 491–97
- Parks-McClellan algorithm, 498–501, 510
- techniques, 439–540
- windowing, 465–78
  - Bartlett window, 468–71
  - Blackman window, 468fn, 469
  - Hamming window, 468–71
  - Hanning window, 468–71
  - incorporation of generalized linear phase, 469–73
  - Kaiser window method, 474–78
  - linear-phase lowpass filter example, 472–73
  - properties of commonly used windows, 468–69
  - rectangular window, 468
- Filtering, interchange of down-sampling/upsampling and, 179–80
- Filters:
  - antialiasing, 186
  - continuous-time IIR, 442–43
  - finite impulse response (FIR), 442
  - frequency-selective, 439–540
  - generalized linear-phase, 316
  - ideal frequency-selective, 43–44, 241–42
  - linear-phase, 316
  - optimal type II lowpass, 497–98
  - optimal type I lowpass, 491–97
  - sharp-cutoff antialiasing filters, 186–87
  - transversal, 367
- Finite-duration sequences, 105, 571
  - Fourier representation of, 559–64
  - See also* Discrete Fourier transform (DFT)
- Finite impulse response (FIR) filters, 442
- Finite-length sequences, 103–4, 117, 779
  - periodic sequence, 783–87
  - and power expansion, 117
  - sufficiency theorems for, 782–87
- Finite-precision numerical effects, 370–77
  - numerical representations, 371–74
  - quantization in implementing systems, 374–77
- Finite register length, effects of, 661–68
- FIR equiripple approximation
  - examples, 503–10
  - bandpass filter, 507–10
  - compensation for zero-order hold, 506–7
  - lowpass filter, 503–6
- FIR filters:
  - optimum approximations of, 486–502
  - alternation theorem, 489–91
  - characteristics of optimum FIR filters, 501–2
  - equiripple approximations, 492
  - extraripple case, 493
  - optimal type II lowpass filters, 497–98
  - optimal type I lowpass filters, 491–97
- First backward difference, 88, 524
- First-order all-pass systems, 275
- FIR linear-phase systems:
  - examples of, 300–305
  - locations of zeros for, 306–8
  - relation of minimum-phase systems to, 308–11
  - type III linear-phase system, 302
  - type II linear-phase system, 302
  - type I linear-phase system, 300–302
  - type IV linear-phase system, 302–5
- FIR systems:
  - basic network structures for, 366–70
  - cascade form, 367–68
  - direct form, 367
  - linear-phase FIR system structures, 368–70
  - coefficient quantization in, 384–86
  - compensation of, 283–87
- Fixed-point realizations of IIR digital filters, zero-input limit cycles in, 413–18
- Floating-point realizations of discrete-time systems, 412–13
- Flow graph, determination of system function from, 352–53
- Flow graph
  - reversal/transposition, 363
- Forward difference, 21, 31, 33
- Fourier transform, 63
  - of complex exponential sequences, 54
  - of a constant, 53
  - linearity of, 59
  - magnitude of, 49
  - of a periodic impulse train, 552
  - of periodic signals, 551–55

- relationship between
  - Fourier series coefficients and, 554–55
- phase of, 49
- sampling, 555–59
- Frequency:
  - differentiation in, 60
  - Doppler, 729–30
  - Nyquist, 146–47
  - sampling, 10, 140–41
- Frequency-domain
  - representation:
    - of discrete-time signals/systems, 40–48
    - of sampling, 142–49
- Frequency response, 40–41
  - determining impulse response from, 64
  - of the ideal delay system, 41
  - of the moving-average system, 44–45
- Frequency-response
  - compensation, 282–87
- Frequency response for rational system functions, 253–70
  - multiple poles or zeros, 265–70
  - second-order FIR system, 268
  - second-order IIR system, 265–67
  - third-order IIR system, 268–70
  - single zero or pole, 258–265
- Frequency-selective filters, 439–540
  - See also* Filter design
- Frequency shifting, 59
- Fricative sounds, 724
- Gain in dB, 254
- Gain of the system, 241
- Generalized linear phase, 295–97
  - linear systems with, 291–311
- Generalized linear-phase filters, 316
- Gibbs phenomenon, 468
- Goertzel algorithm, 629, 633–35
- Group delay:
  - and attenuation, effects of, 243–45
  - defined, 243
- Hamming window, 468–71
- Hanning window, 468–71
- High-pass filters, 44
  - Kaiser window method design of, 479–82
- Hilbert transformers, 791
  - design of, 792–95
  - Kaiser window design of, 793–95
  - See also* Discrete Hilbert transforms
- Hilbert transform relations, 775–76
  - for complex sequences, 789–801
  - See also* Discrete Hilbert transforms
- Homogeneous difference equation, 36
- Homogeneous solution, 36
- Ideal 90-degree phase shifter, 790–91
- Ideal continuous-time
  - bandlimited differentiator, discrete-time implementation of, 158–59
- Ideal continuous-time lowpass filtering, using
  - discrete-time lowpass filter, 155–57
- Ideal continuous-to-discrete (C/D) converter, 141, 154, 185
- Ideal delay system, 17, 31
  - frequency response of, 41
- Ideal discrete-to-continuous (D/C) converter, 152–153, 185
- Ideal frequency-selective filters, 43–44, 241–42
- Ideal highpass filters:
  - frequency response of, 44, 242
  - impulse response of, 242
- Ideal lowpass filters, 43
  - frequency response of, 43, 241
  - impulse response of, 242
  - with linear phase, 242–43
- Ideal reconstruction filter, 150–51
- Ideal signal reconstruction system, 150–51
- IIR systems:
  - basic structures for, 354–63
  - cascade form, 356–59
  - direct forms, 354–56
  - parallel form, 359–61
  - coefficient quantization in, 377–82
  - feedback in, 361–63
- Image processing, application of multidimensional digital processing to, 4
- Impulse, 11
- Impulse invariance, 160–63, 517
  - applied to continuous-time systems with rational system functions, 162–63
  - with a Butterworth filter, 446–49
  - discrete-time lowpass filter obtained by, 162
  - filter design by, 443–49
- Impulse response:
  - determining from frequency response, 64
  - for a difference equation, determining, 64–65
- Impulse responses, 31–32
- Impulse train modulation, 142
- Infinite-duration impulse response (IIR) systems, 32
- Infinite impulse response (IIR) filters, 442
- Infinite sum, expressing closed form, 97–98
- Initial-rest conditions, 38
- Initial-value theorem, 126
- Innermost nonzero pole, 105
- Inspection method for inverse z-transform, 111–12
- Instability, 21–22
  - testing for, 22
- Interpolation, 173
  - frequency-domain illustration of, 174
  - linear, 175–76
  - by filtering, 175
  - impulse response for, 175
- Interpolator, 173
- Inverse by partial fractions, 115–16
- Inverse DFT algorithm, 676
- Inverse Fourier transform, 48, 63
- Inverse of non-rational z-transform, 122–23
- Inverse systems:
  - defined, 33–34
  - system functions for, 248–50
- Inverse transform, by a power series expansion, 117
- Inverse z-transform, 111–18
  - inspection method, 111–12
  - inverse by partial fractions, 115–16

- partial fraction expansion, 112–16
- second-order  $z$ -transform, 113–14
- Kaiser window, 474–82
  - DFT analysis of sinusoidal signals using, 708–10
- Kaiser window design, of Hilbert transformers, 793–95
- Kaiser window method, 474–78
  - examples of FIR filter design by, 478–85
  - discrete-time differentiators, 482–85
  - highpass filter, 479–82
  - and lowpass filter design, 476–78
  - relationship to other windows, 478
- Leakage, 701
- Left-sided exponential sequence, 99–100
- Left-sided sequence, 105
  - power series expansion for, 118
- L'Hopital's rule, 151
- Limit cycles:
  - avoiding, 417–18
  - due to overflow, 416–17
  - due to round-off, 414–16
  - due to truncation, 414–16
  - in first-order system, 414–16
- Linear chirp signal,
  - time-dependent Fourier transform of, 715–17
- Linear constant-coefficient difference equations, 34–40
  - block diagram representation of, 341–48
  - impulse response for rational system functions, 250–53
    - first-order IIR system, 251–52
    - simple FIR system, 252–53
  - inverse systems, 248–50
    - for first-order system, 249–50
    - with zero in the ROC, 250
  - region of convergence (ROC), determining, 247–48
  - second-order system, 246–47
  - signal flow graph
    - representation of, 348–53
  - stability and causality, 247–48
  - system functions for systems characterized by, 245–53
- Linear convolution, 576–88
  - using discrete Fourier transform (DFT), 576–88
- Linearity:
  - and auxiliary conditions, 39
  - of Fourier transform, 59
- Linearity property:
  - discrete Fourier series (DFS), 546
  - discrete Fourier transform (DFT), 564
  - $z$ -transform, 119
- Linear noise models, 391–412
  - cascade form IIR systems, 403–410
  - direct form FIR systems, 410–12
  - direct form IIR systems, 391–403
  - parallel form IIR systems, 410
- Linear phase, 291–311
  - causal generalized linear-phase systems, 297–311
    - type I FIR linear-phase systems, 298
    - type II FIR linear-phase systems, 298
    - type III FIR linear-phase systems, 298
    - type IV FIR linear-phase systems, 298–99
  - decomposition of a linear-phase system, 308–11
  - FIR linear-phase systems:
    - examples of, 300–305
    - locations of zeros for, 306–8
    - relation of minimum-phase systems to, 308–11
    - type III linear-phase system, 302
    - type II linear-phase system, 302
    - type I linear-phase system, 300–302
    - type IV linear-phase system, 302–5
  - generalized linear phase, 295–97
  - ideal lowpass filter with, 293–95
  - systems with, 292–95
- Linear-phase filters, 316
- Linear-phase FIR system structures, 368–70
- Linear predictive coding (LPC), 4
- Linear quantizers, 191
- Linear system, 78–79
- Linear systems, 18
  - accumulator system, 19
  - nonlinear system, 19
- Linear time-invariant
  - discrete-time systems, 22–28, 154–60
    - all-pass systems, 274–79
      - causal all-pass systems, 274–78
      - defined, 274
      - first- and second-order all-pass systems, 275
      - uses of, 278
    - convolution sum, 23–28
      - analytic evaluation of, 26–28
      - computation of, 25–26
      - defined, 23
    - direct form II implementation of, 347–48
    - direct form I implementation of, 346–47
    - eigenfunctions for, 40–45
    - frequency response of, 241–45
      - ideal frequency-selective filter, 241–42
      - phase distortion and delay, 242–45
    - frequency response for rational system functions, 253–70
      - multiple poles and zeros, 265–70
      - single zero or pole, 258–65
  - generalized linear phase, linear systems with, 291–311
  - ideal continuous-time bandlimited differentiator, discrete-time implementation of, 158–59
  - ideal continuous-time lowpass filtering, using discrete-time lowpass filter, 155–57
  - minimum-phase systems, 280–91
    - frequency-response compensation, 282–87
    - minimum-phase and all-pass decomposition, 280–82
    - properties of, 287–91
  - properties of, 28–34

- cascade connection, 29
  - constraints of linearity/time invariance, 30–31
  - finite-duration impulse response (FIR) systems, 32–33
  - impulse responses, 31–32
  - infinite-duration impulse response (IIR) systems, 32
  - parallel connection, 30
  - relationship between magnitude and phase, 270–74
  - transform analysis of, 240–339
- Log magnitude, 254
- Long division, power series expansion by, 118
- Magnitude:
  - Fourier transform, 49
  - relationships between phase and, 788–89
- Magnitude distortions, 241
- Magnitude response, 241
- Magnitude spectrum, 49
- Magnitude-squared function, 254, 258, 457
- Mantissa, 412
- Matlab, 3
- Maximum entropy methods (MEM spectral analysis), 4
- Maximum-phase sequence, 335
- Memoryless systems, 18
- MEM spectral analysis, 4
- Microelectronics, 6–7
- Microprocessors:
  - and discrete-time signals, 7
  - rapid evolution of, 2
- Minimax criterion, 489
- Minimum energy-delay property, minimum-phase systems, 288–91
- Minimum group-delay property, minimum-phase systems, 288
- Minimum phase-lag property, minimum-phase systems, 287–88
- Minimum-phase systems, 250, 280–91
  - frequency-response compensation, 282–87
  - minimum-phase and all-pass decomposition, 280–82
  - properties of, 287–91
- minimum energy-delay property, 288–91
  - minimum group-delay property, 288
  - minimum phase-lag property, 287–88
  - relation of FIR linear-phase systems to, 308–11
- Modified periodogram, 732
- Modulation theorem, 61–62
- Moving average, 17–18, 31
- Moving-average (MA) linear random process, 771
- Moving-average system:
  - difference equation
  - representation of, 35–36
  - with noninteger delay, 165–67
- Multidimensional signal processing, 3–4
- Multiplication by an exponential sequence, 121–22
- Multirate signal processing, 179–84
  - interchange of filtering and downsampling/upsampling, 179–80
  - polyphase decompositions, 180–82
  - polyphase implementation of decimation filters, 182–83
  - polyphase implementation of interpolation filters, 183–84
- Multistage noise shaping (MASH), 210
- Narrowband time-dependent Fourier analysis, 725
- Nonanticipative system, 21
- Noncausal window, 716
- Noncomputable network, 363
- Noninteger delay, 164–65
  - moving-average system with, 165–67
- Nonlinear system, 19
- Non-rational  $z$ -transform, inverse of, 122–23
- Nonstationary signals:
  - time-dependent Fourier analysis of, 723–30
  - radar signals, 728–30
  - speech signals, 720–28
- $N$ -point circular convolution, 571
- Nyquist frequency, 146–47
- Nyquist rate, 146–47, 153
- Nyquist sampling theorem, 146
- Odd function, 55
- Odd sequence, 55
- Offset binary coding scheme, 191
- One's complement, 371
- One-sided  $z$ -transform, 95
- Optimal type II lowpass filters, 497–98
- Optimal type I lowpass filters, 491–97
- Optimum approximations of FIR filters, 486–502
  - alternation theorem, 489–91
  - and polynomials, 290–91
  - characteristics of optimum FIR filters, 501–2
  - equiripple approximations, 492
  - extraripple case, 493
  - optimal type II lowpass filters, 497–98
  - optimal type I lowpass filters, 491–97
- Parks-McClellan algorithm, 498–501
- Outermost finite pole, 105
- Overflow oscillations, in second-order system, 416–17
- Overlap-add method, 586–87, 680
- Overlap-save method, 587, 680
- Oversampled A/D conversion:
  - with direct quantization, 201–5
  - with noise shaping, 206–10
- Oversampled D/A conversion, and noise shaping, 210–13
- Parallel connection, 30
- Parallel form structures:
  - coefficient quantization effects, 382
  - IIR systems, 359–61
  - Roundoff noise effects, 410
- Parks-McClellan algorithm, 487, 498–501, 506, 510
- Parseval's relation:
  - discrete Fourier transform, 621
  - Fourier transform, 60
- Parseval's theorem, 60, 400
- Partial fractions, inverse by, 115–16
- Periodic
  - conjugate-antisymmetric components, 570
- Periodic conjugate-symmetric components, 570

- Periodic convolution:
  - defined, 548
  - discrete Fourier series (DFS), 548–51
- Periodic discrete-time sinusoids, 15
- Periodic impulse train, 143
- Periodic sampling, 140–42
- Periodic sequences,
  - representation of, 542–46
- Periodic signals, Fourier transform of, 551–55
- Periodogram, 730–42
  - averaging of, 737–39
  - defined, 732
  - explicit computation of, 732
  - modified, 732
  - periodogram analysis, 731, 739–42
  - example of, 739–42
  - power spectrum, 731–32, 734
  - properties of, 733–37
- Periodogram analysis, 731, 739–42
- Phase:
  - Fourier transform, 49
  - relationships between magnitude and, 788–89
- Phase distortion and delay, 242–45
- Phase response, 241
- Phase shift, 241
- Phase spectrum, 49
- Plosive sounds, 724
- Poisson's formulas, 776
- Poles of  $X(z)$ , 298
- Polyphase decompositions, 180–82
- Polyphase implementation:
  - of decimation filters, 182–83
  - of interpolation filters, 183–84
- Power density spectrum, 68
  - of quantization noise, 207–9
- Power series expansion, 116–18
  - by long division, 118
  - finite-length sequence, 117
  - inverse transform by, 117
  - for a left-sided sequence, 118
- Power spectrum, 731–32, 734
  - estimation:
    - computing using DFT, 746–48
    - example based on estimation of autocorrelation sequence, 748–54
- Prefiltering, to avoid aliasing, 185–87
- Product of two sequences, 11
- Quantization errors, 372
  - analysis of, 193–97
  - for sinusoidal signal, 194–95
- Quantization levels, 191–94
  - coding of, 191
- Quantization noise:
  - example of, 195
  - power density spectrum of, 207–9
- Radar signals:
  - clutter, 729
  - Doppler frequency, 729–30
  - time-dependent Fourier analysis of, 728–30
- Random process, 65
- Random signals, 65–70, 811–23
  - spectrum analysis of, 730–54
- Rational system functions:
  - frequency response for, 250–70
  - multiple poles and zeros, 265–70
  - single zero or pole, 258–65
  - impulse response for, 250–53
  - first-order IIR system, 251–52
  - simple FIR system, 252–53
- Reconstruction of sinusoidal signal, 147
  - undersampled, aliasing in, 148–49
- Rectangular window, 471
- Recursive computation of difference equations, 37–38
- Recursive representation, 35
- Region of convergence (ROC), 96, 105–11
  - and causality, 110–11
  - properties of, for  $z$ -transform, 105–11
  - and stability, 110–11
- Region of convergence (ROC), 96–97
- Right-sided exponential sequence, 98
- Right-sided sequence, 105, 108
- Rotations, 684
- Round-off, limit cycles due to, 414–16
- Sample-and-hold circuits, 188–89
- Sampled-data Delta-Sigma modulator, 206
- Sampling:
  - bandpass, 799–801
  - downsampling, 168–72, 179–80
  - Fourier transform, 555–59
  - frequency-domain representation of, 142–49
  - periodic, 140–42
  - spectral, 703–14
  - in time/frequency, 718–22
  - upsampling, 172–76, 179–80
- Sampling the Fourier transform, 555–59
- Sampling frequency, 10, 140–41
- Sampling period, 10, 140–42
- Sampling rate change by noninteger factor, 176–78
- Sampling rate compressor, 167–68
- Sampling rate expander, 172
- Sampling rate increase by integer factor, 172–76
- Sampling rate reduction by integer factor, 167–72
- Second-order all-pass systems, 275
- Second-order  $z$ -transform, 113–14
- Sequence operations, 11–16
- Sequences:
  - autocorrelation, of  $h[n]$ , 67–68
  - autocovariance, 65–66
  - causal, 31, 129, 777–82
  - circular shift of, 564–67
  - complex, 789–801
  - complex exponential, 14
  - conjugate-antisymmetric, 55–56
  - conjugate-symmetric, 55–56
  - delayed impulse sequence, 572–73
  - deterministic autocorrelation, 67–68
  - even, 55
  - exponential, 13–14, 779–80
  - finite-duration, 105, 571
  - finite-length, 103–4, 779
  - left-sided, 99–100, 105, 118
  - maximum-phase, 335
  - odd, 55
  - periodic, 542–46
  - representation of, by Fourier transforms, 48–54
  - right-sided, 98, 105, 108
  - shifted exponential, 120–21

- sinusoidal, 13
- two-sided, 108–10
- unit sample, 11
- unit step, 11–13
- Sharp-cutoff antialiasing filters, 186–87
- Shifted exponential sequence, 120–21
- Shift of sequences, 59
  - circular, 564–67
  - periodic, 546–47
- Shifting:
  - frequency, 59
  - time, 59, 120–21
- Shift of a sequence, discrete
  - Fourier series (DFS), 546–47
- Short-time Fourier transform, *See* Time-dependent Fourier transform
- Time-dependent Fourier transform, 714–22
- Signal:
  - defined, 8
  - independent variable in mathematical representation of, 8
- Signal expression processing, 3
- Signal interpretation, 2–3
- Signal modeling, 4
- Signal processing, defined, 1–2
- Signal processing
  - microprocessors, processing capability of, 1
- Signal-processing systems, classification of, 8–9
- Sign bit, 371
- Sign and magnitude, 371
- Sink nodes, 349
- Sinusoidal response, of linear time-invariant systems, 42–43
- Sinusoidal sequences, 13
- Sinusoidal signals, DFT analysis of, 697–714
  - oversampling/linear interpolation for frequency estimation, 713–14
  - spectral sampling, 703–14
    - with 32-point Kaiser window and zero-padding, 711–12
    - using a Kaiser window, 708–10
  - windowing, 698–703
- Source nodes, 349
- Spectral analysis, 4, 6
- Spectral sampling:
  - effect of, 703–14
  - illustration of, 703–6
  - with frequencies matching DFT frequencies, 706–8
- Spectrum:
  - amplitude, 49
  - energy density, 60
  - magnitude, 49
  - phase, 49
  - power, 731–32, 734
  - power density, 68, 207–9
- Speech signals:
  - time-dependent Fourier analysis of, 720–28
    - narrowband spectrogram, 728
    - wideband spectrogram, 725–28
- Split-radix FFT (SRFFT), 683
- Square-summability, for the ideal lowpass filter, 52–53
- SRFFT, 683
- Stability, 21–22, 30–31, 247–48
  - and region of convergence, 110–11
  - testing for, 22
- Stationary, use of term, 66
- Stationary random signals, Fourier analysis of, 730–42
- Steady-state response, 46
- Stochastic signals, *See* Random signals
- Structures for discrete-time systems, 340–418
  - block diagram representation of linear
    - constant-coefficient difference equations, 341–48
  - cascade form, *See* Cascade form structures
  - direct form, *See* Direct form structures
  - finite precision numerical effects, *See* Quantization
  - FIR systems, 366–70
  - IIR systems, 354–63
  - parallel form, *See* Parallel form structures
  - signal flow graph
    - representation of linear constant-coefficient difference equations, 348–53
  - transposed forms, 363–66
- Suddenly-applied complex exponential inputs, 46–48
- Suddenly-applied exponential, absolute summability for, 51–52
- Sufficiency theorems for finite-length sequences, 782–88
- Summability:
  - absolute, 51, 108
  - for suddenly-applied exponential, 51–52
  - square-, 52–53
- Superposition, principal of, 22–24
- Surface acoustic wave (SAW), 2
- Switched-capacitor technologies, 2
- Symmetry properties:
  - discrete Fourier series (DFS), 547
  - discrete Fourier transform, 568–70
  - discrete-time Fourier transform (DTFT), 55–58
- Synthesis formula, 48
- System function, 241
- Systems, 374–77
- Tapped delay line structure, 367
- Telecommunications, and discrete-time signal processing, 7
- Time-dependent Fourier analysis of nonstationary signals, 723–30
  - radar signals, 728–30
  - speech signals, 720–28
- Time-dependent Fourier transform, 693, 714–22
  - block convolution using, 722–23
  - defined, 714
  - effect of the window in, 717–18
  - of a linear chirp signal, 715–17
  - sampling in time/frequency, 718–22
- Time invariance, and auxiliary conditions, 39
- Time-invariant systems, 20–21, 77
  - accumulator as, 20
  - compressor system, 20–21
- Time-reversal property,  $z$ -transform, 123–24
- Time reversal theorem, 60
- Time-shifting property:
  - discrete Fourier series, 546

- discrete Fourier transform, 564–67
- Fourier transform, 59
- z-transform, 120–21
  - shifted exponential sequence, 120–21
- Time-shifting theorem, 59
- Transient response, 46–47
- Transposed forms, 363–66
  - for a basic second-order section, 364–65
  - for first-order system with no zeros, 363–64
- Transversal filter structure, 367
- Trapezoidal approximation, 525
- Truncation, limit cycles due to, 414–16 “Twicing,” 528
- Two-dimensional signal
  - processing techniques, 3–4
- Two’s complement, 371
- Two-sided exponential sequence, 102
- Two-sided sequences, 108–10
- Type I FIR linear-phase systems, 298
- Type II FIR linear-phase systems, 298
- Type III FIR linear-phase systems, 298
- Type IV FIR linear-phase systems, 298–99
- Undersampled sinusoidal signal, reconstruction of, 148–49
- Uniform convergence, of
  - z-transform, 97
- Unilateral z-transform, 95
- Unit circle, 95–96
- Unit impulse function, 142–43
  - sifting property of, 143
- Unit sample sequence, 11
- Unit step sequence, 11–13
- Unweighted approximation error, 503
- Upsampling, 172–76
  - interchange of filtering and, 179–80
- Video coding, 3
- Vocal tract, 724
- Vocoder simulations, 5
- Voiced sounds, 724
- Von Hann, Julius, 468fn
- Warping, and bilinear transformation, 453–54
  - “Whitening” procedure, 333
- White noise, 69
- Wideband spectrogram, 725
- Windowing, 465–78, 693
  - Bartlett window, 468–71
  - Blackman window, 468fn, 469
  - effect of, 698–703
    - on Fourier analysis of sinusoidal signals, 698–701
  - Hamming window, 468–71
  - Hanning window, 468–71
  - incorporation of generalized linear phase, 469–73
  - Kaiser window, 474–78
  - linear-phase lowpass filter example, 472–73
  - rectangular window, 468
- Windowing theorem, 61–62
- Winograd Fourier transform algorithm (WFTA), 655–56
- Zero-input limit cycles, defined, 376, 413
- Zero-order hold, compensation for, 506–7
- Zero padding, 583
- Zeros of  $X(z)$ , 98
- z-plane, 96
- z-transform, 94–139
  - common pairs, 104
  - defined, 95
  - evaluating a convolution using, 125
  - finite-duration sequence, 105
  - finite-length sequence, 103–4
  - infinite sum, expressing closed form, 97–98
  - inverse z-transform, 111–18
    - inspection method, 111–12
    - partial fraction expansion, 112–16
  - left-sided sequence, 99–100, 105
  - power series expansion, 116–18
    - by long division, 118
    - finite-length sequence, 117
    - inverse transform by, 117
    - for a left-sided sequence, 118
  - region of convergence
    - properties for, 105–11
  - region of convergence (ROC), 96–97
  - right-sided sequence, 98, 105
  - sum of two exponential sequences, 100–101
  - transform properties, 119–26
    - conjugation property, 123
    - convolution property, 124–26
    - differentiation property, 122–23
    - exponential multiplication, 121–22
    - initial-value theorem, 126
    - inverse of non-rational z-transform, 122–23
    - linearity property, 119
    - time-reversal property, 123–24
    - time-shifting property, 120–21
  - two-sided sequence, 102, 105
  - uniform convergence of, 97
  - unit circle, 95–96
  - z-transform operator  $Z$ , 95
  - z-transform pairs, 104