

Compatibility - Universal Manageability Services, Version 2.2

Last Updated: January 10, 2001

Licensed and supported systems

UM Services™ is licensed for and supports the following @server Xseries, Netfinity® servers, IntelliStation® workstations, IBM Netvista and PC desktops, and ThinkPad® notebook computers.

Notes:

1. Some models may not be available in your area.
2. On systems with Windows 95 or Windows 98 (including Windows 98 SE, but excluding Windows 98 Me) installed as the operating system, UMS installed with the optional SNMP extensions has an issue with Power Management events. Should SNMP support be required on these Windows 9x platforms, then the previous version of UMS should be used (version 2.12). Our goal is to fully support these platforms in the future.

@server X-Series Servers

- xSeries 200
- xSeries 220
- xSeries 230
- xSeries 240
- xSeries 250
- xSeries 260
- xSeries 330
- xSeries 340
- xSeries 350
- xSeries 370

Netfinity Servers

- | | | |
|----------------------|----------------------|----------------------|
| • Netfinity 1000 | • Netfinity 5000 | • Netfinity 6000R |
| • Netfinity 3000 | • Netfinity 5100 | • Netfinity 7000 |
| • Netfinity 3500 | • Netfinity 5500 | • Netfinity 7000 M10 |
| • Netfinity 3500 M10 | • Netfinity 5500 M10 | • Netfinity 7100 |
| • Netfinity 3500 M20 | • Netfinity 5500 M20 | • Netfinity 7600 |
| • Netfinity 4000R | • Netfinity 5600 | • Netfinity 8500R |
| • Netfinity 4500R | | |

IntelliStation Workstations

- E-Pro — 6836, 6846, 6867, 6893
- M-Pro — 6849, 6868, 6889, 6898
- Z-Pro — 6865, 6866

IBM PC Desktops

- Netvista A20 — 6269
- Netvista A40 — 6568, 6578, 6058, 6840, 6648, 6830, 6831, 6881, 6842
- Netvista A40p — 6837, 6847
- Netvista A60 — 6838
- Netvista S40 — 6644, 6645
- Netvista S40p — 6646
- Netvista X40 — 6643
- PC 300GL — 6268, 6272, 6275, 6277, 6278, 6282,6284, 6285, 6287, 6288, 6561, 6563, 6564, 6574, 6591
- PC 300PL — 6562, 6565, 6584, 6592, 6594, 6871,6862, 6892
- PC 300XL — 6588
- PC 710 — 6870

ThinkPad Notebooks

- A20p, A20m, A21p, A21m, A21e — 2628, 2629
- T20, T21 — 2647
- X20 — 2662
- 240
- 380XD, 380Z
- 390, 390X, 390E
- 560X, 560Z
- 570, 570E
- 600, 600E, 600X
- 770, 770E, 770ED, 770X, 770Z

Software requirements

Note: The UM Services Client component is installed directly on supported Microsoft operating systems through the main installation program. UM Services Client is also supported on other operating systems through a direct installation from each supported system directory on the CD.

Universal Manageability (UM) Services Version 2.2 requires one of the following operating system environments:

- Windows 2000 Server or Advanced Server
- Windows 2000 Professional
- Windows NT Server 4.0 (with Service Pack 4 or later)
- Windows NT Workstation 4.0 (with Service Pack 4 or later)
- Windows 98
- Windows 95 (with OEM Service Release 2 (OSR2) or later)
- Windows Millennium

- Redhat Linux Version 6.2
- OS/2 4.0 with Service Pack 5
- OS/2 Warp Server for e-business
- Novell NetWare 4.x with Service Pack 5 or later
- Novell NetWare 5.x
- SCO UnixWare 7.1 or later

One of the following Network Protocols:

- TCP/IP
- NetBIOS
- IPX
- SNA
- SLIP
- HTTP

Upward Integration Modules are provided for the following workgroup or enterprise managers:

- Tivoli Management Framework Version 3.6.x
- Tivoli Software Distribution Version 3.6
- Tivoli Enterprise Console Version 3.6
- Tivoli NetView Version 5.1.1 and 6.0 for Windows NT
- Computer Associates Unicenter TNG Framework Version 2.2, AIM IT
- Workgroup Edition Version 3.0, and SHIPIT Workgroup Edition Version 2.0
- Microsoft SMS Version 2.0
- Microsoft SMS Version 1.2
- Intel LANDesk Management Suite Version 6.2
- HP Open View Network Node Manager 6.0 or 6.1

Optionally, one of the following Web browsers for direct access to a client running UM Services:

- Microsoft Internet Explorer 4.01 or later
- Netscape Communicator 4.5 or later
- Netscape Navigator 4.5 or later