


NOTE:

- In case of adding ceramic filter CF-2 and CF-3. (Reference figures are 18 and 19.)
 - Add a ceramic filter CF-2 (RFILA0050AFZZ)
 - Add a ceramic filter CF-3 (RFILA0001AFZZ)
 - Change the capacitor C37 from 0.01MFD to 680PF (VCCSPU1HL681J)
 - Cut the printed circuit pattern, the place is shown on Figure 19-①.
- In case of adding ceramic filter CF-3. (Reference figures are 18 and 19)
 - Add a ceramic filter CF-3 (RFILA0001AFZZ)
 - Change the capacitor C37 from 0.01MFD to 680PF (VCCSPU1HL681J)

Figure 19 WIRING SIDE BOARD (P.W.B. NO. F0485AF-3)



Specifications or wiring diagrams of this model are subject to change for the improvement without prior notice.

Figure 18 SCHEMATIC DIAGRAM (P.W.B. NO. F0485AF-3)






Figure 21 WIRING SIDE BOARD (P.W.B. NO. F0485AF-4)




- NOTE:
- 1) In case of adding ceramic filter CF-2 and CF-3.
(Reference figures are 20 and 21.)
 - ① Add a ceramic filter CF-2 (RFILA0050AFZZ)
 - ② Add a ceramic filter CF-3 (RFILA0001AFZZ)
 - ③ Change the capacitor C37 from 0.01MFD to 680PF (VCCSPU1HL681J)
 - ④ Cut the printed circuit pattern, the place is shown on Figure 21-①.
 - 2) In case of adding ceramic filter CF-3.
(Reference figures are 20 and 21)
 - ① Add a ceramic filter CF-3 (RFILA0001AFZZ)
 - ② Change the capacitor C37 from 0.01MFD to 680PF (VCCSPU1HL681J)



Specifications or wiring diagrams of this model are subject to change for the improvement without prior notice.

Figure 20 SCHEMATIC DIAGRAM (P.W.B. NO. F0485AF-4)







Figure 25 WIRING SIDE BOARD (P.W.B. NO. F0552AF)



Specifications or wiring diagrams of this model are subject to change for the improvement without prior notice.

Figure 24 SCHEMATIC DIAGRAM (P.W.B. NO. F0552AF)